repsol
lubricants

LUBRICANTS MOTO

lubricants.repsol.com

repsol
lubricants

Follow us on
@repsol.lubricants

LUBRICANTS
MOTO

PURE PERFORMANCE

For more than 70 years, we have been developing lubricants and technologies that help all types of engines perform at their best.

Powered by Repsol technology, we transform that expertise into solutions designed for every way of riding. Because not all motorcycles are used the same way. Some are built for the city, others for endless journeys, and others for pushing their limits through every corner.

Behind every formulation lies science, innovation, and a relentless drive for improvement. Therefore, technology only delivers real value when it becomes something riders can experience: confidence in performance, peace of mind on every journey, and lasting enjoyment mile after mile.

That is why we develop products tailored to every motorcycle, every application, and every riding style, turning technical complexity into clear, effective solutions, so that you can focus on what matters most: moving forward.

PURE PASSION

CONTENTS

70 YEARS OF R&D
FROM TECHNOLOGY TO EXPERIENCE

The science behind every kilometer 8
The technology you can feel 9
Supporting motorsport 10

MOTO2™ AND MOTO3™
WHERE EVERY DETAIL IS PUSHED TO THE LIMIT

MOTO2™ and MOTO3™ in numbers 12
Racing Pao Technology 13

LUBRICANTS

EXTREME | COMPETITION DNA
The pinnacle of the motorcycle range 18
4T products 20
2T products 21
EXPLORER | NO LIMITS BEYOND THE UNPREDICTABLE
Endurance and protection technology 22
4T products 24
2T products 25
URBAN | ANTI-WEAR THERAPY
Street and road technology 26
4T products 28
2T products 29
RIDER | CONFIDENCE IN THE ESSENTIALS
Daily endurance technology 30
4T products 32
2T products 35

FORK OIL

EXTREME FORK OIL 38

MOTO CARE

EXTREME 42
MOTO CARE 42

OTHER PRODUCTS

GEAR 46
BRAKE FLUID 48
COOLANT 49

70 YEARS OF R&D:
FROM TECHNOLOGY TO EXPERIENCE

HIGH TECHNOLOGY

The science behind every Kilometer

The Repsol Technology Lab is where expertise becomes performance. By carefully selecting premium raw materials and subjecting every formulation to rigorous testing, we ensure excellence in every lubricant. The result is superior protection and performance, designed to meet the real challenges of every engine and every ride.

As a **European benchmark in R&D**, we transform scientific knowledge into pioneering solutions and confidence for every journey.

REAL EXPERIENCE

The technology you can feel

For us, understanding motorcycles starts with understanding riders. We stay close to those who ride every day, on the road and off it, recognising that everyone experiences two wheels in their own way. Their needs, **expectations and sensations are what guide our technology and drive us to keep improving.**

We develop products designed around what riders really notice: **clutch control, mechanical reliability and zero hassle.** Meeting the expectations of everyone who trusts Repsol is the core of our work.

OVER 55 YEARS SUPPORTING MOTORSPORT

1969

Debut of the Repsol Team. We pioneered the creation of a professional racing team.

1971

Entry into the most prestigious international competitions

1988

Debut in the 24 Hours of Le Mans

1990

Repsol wins its 1st World Rally Championship title with Carlos Sainz and Luis Moya

1995

Repsol Honda Partnership wins its 1st 500cc World Championship title with Mick Doohan

2008

Repsol wins the World Touring Car Championship

2008

Marc Márquez, with the support of Repsol, debuted at the age of 15 in the MotoGP World Championship

2006

Double victory at the Dakar Rally, on bikes with Marc Coma and in cars with Luc Alphand

2004

Laia Sanz and Takahisa Fujinami win the Trial World Championship

2002

Rossi wins the 1st MotoGP title with the Repsol Honda Team

1999

Repsol in Formula 1 with Pedro Martínez de la Rosa

1999

Álex Crivillé wins the 500cc MotoGP World Championship

2011

Sponsorship of aviation competitions begins

2013

Marc Márquez wins the MotoGP World Championship on his debut, becoming the youngest rider in the history to do so.

2018

Dani Pedrosa, named "MotoGP legend" after 13 seasons with Repsol

2019

Marc Márquez wins his 8th World Championship title with Repsol

2025

Official TOYOTA team GAZOO Racing in Dakar

2025

Return to the World Rally Championship - WRC2

2026

Toni Bou wins his 40th Trial World Championship title

Moto2™ — Moto3™

EXCLUSIVE LUBRICANT

MOTOGP™ WORLD CHAMPIONSHIP

2026

Exclusive lubricant supplier for the Moto2TM and Moto3TM categories in the MotoGP World Championship

MOTO2™ AND MOTO3™

WHERE EVERY DETAIL IS PUSHED TO THE LIMIT

Moto2 — Moto3 EXCLUSIVE LUBRICANT
MOTOGP™ WORLD CHAMPIONSHIP

As the Exclusive Supplier of Moto2™ and Moto3™ Lubricants, we operate in a setting where performance is relentlessly tested and every lap becomes an opportunity to learn. The knowledge gained on the track helps us develop solutions that deliver outstanding performance beyond it.

A TECHNOLOGY THAT SUPPORTS 54 RIDERS,
FROM THE FIRST STARTING GRID POSITION TO THE LAST.

19 COUNTRIES

300 KM/H

22 RACES

≈200.000 TOTAL TRACK KILOMETERS COVERED

14.000 RPM

54 RIDING STYLES

BACK TO MOTOGP™ WORLD CHAMPIONSHIP EXCLUSIVE IN THE LUBRICANT SUPPLIER MOTO2™ AND MOTO3™

MOTO2™
- 765 cc
- 3 cylinder
- 14.400 rpm
- 300 km/h
- 6 speeds

MOTO3™
- 250 cc
- 1 cylinder
- 14.000 rpm
- 245 km/h

RACING PAO TECHNOLOGY

PAO (Polyalphaolefin) technology offers a superior balance for most modern engines, combining performance, stability and durability. The key benefits of this technology are:

- Improved thermal and oxidative stability
- Improved cold-start performance
- Improved viscosity stability
- Enhanced long-term consistency

For this reason, Racing PAO Technology forms the backbone of our EXTREME lubricant range for modern high-performance 4-stroke engines, where sustained performance is just as important as peak performance. **Engineered to perform under the most demanding conditions, these are the lubricants used in Moto2™ and Moto3™.**

DEVELOPED BY REPSOL TECHNOLOGY LAB

- **THERMAL STABILITY**
- **WEAR PROTECTION**
- **CLEANING AND AERATION CONTROL**
- **SHEAR STABILITY**
- **FRICTION CONTROL**
- **SMOOTH SHIFTING**

LUBRICANTS

repsol
lubricants
EXPLORER
5W-40
4T FULLY SYNTHETIC
Developed by Repsol Technology Lab
1L NET VOL.
API SP
MA2
EXTREME
5W-40
4T FULLY SYNTHETIC
Moto2
Moto3
EXCLUSIVE LUBRICANT
MOTOGP™ WORLD CHAMPIONSHIP
RACING PAO TECHNOLOGY
DEVELOPED BY REPSOL TECHNOLOGY LAB
1L NET VOL.
repsol
lubricants
URBAN
0W-30
SEMI SYNTHETIC
ped by Repsol Technology Lab
MA2
1L NET VOL.

ENGINE OILS:
A RANGE FOR EVERY STYLE

Every bike performs differently. That is why not all lubricants should be recommended equally.

EXTREME

RACING PAO TECHNOLOGY

Our most exclusive range, **developed with 100% synthetic-based Racing PAO Technology.** Designed for high-performance engines and riders who want to experience firsthand the thrill of racing, while meeting the demanding mileage requirements of both on-road and off-road use.

EXPLORER

ENDURANCE & PROTECTION

Created for riders who never stop exploring. Premium **high-performance synthetic lubricants** engineered for the thrill of speed, the freedom of the open road and the spirit of adventure, wherever the journey leads.

URBAN

STREET & ROAD

Designed for riders who move to the rhythm of the city. **A lubricant formulated for motorcycles and scooters used in urban and suburban** environments, engineered to meet the demands of traffic, frequent stop-and-go riding, and constantly changing conditions.

RIDER

DAILY ENDURANCE

The gateway to the Repsol world of lubrication technology. Developed for everyday riding, it delivers the protection and reliability needed to make every commute and routine journey more comfortable and safer.

THE PINNACLE OF THE MOTORCYCLE RANGE.
ENGINEERING BORN FROM COMPETITION.

EXTREME

EXTREME represents the highest level of performance within our new range. Designed for riders who demand instant engine response and uncompromising protection under the most demanding conditions, it excels in high temperatures, elevated engine speeds, hard acceleration, aggressive downshifting, sporty riding, and changing conditions, whether on- and off-road.

Its Racing PAO Technology combines the innovation of the Repsol Technology Lab with validation at the highest level of competition, delivering exceptional performance, protection, and consistency when it matters most.

SUPERIOR THERMAL STABILITY ON ALL TRACKS AND ROADS

CLUTCH CONTROL AND SHIFT ACCURACY

PROTECTION IN EXTREME CONDITIONS ON AND OFF THE TRACK

EXTREME

MOTO 4T

Moto2 Moto3 EXCLUSIVE LUBRICANT
MOTOGP™ WORLD CHAMPIONSHIP

EXTREME 4T

RACING DNA

1. Developed from Repsol's racing experience as the official supplier to Moto2™ and Moto3™, and formulated with 100% Synthetic PAO Technology. **EXTREME is engineered for high-performance 4-stroke engines operating under the most demanding conditions, including high temperatures, extreme engine speeds and heavy loads.**

The same technology trusted in Moto2™ and Moto3™ delivers advanced protection, enhanced engine precision and sustained performance, both on the road and on the track, while meeting the mileage and durability requirements of every engine.

100%	Racing PAO Technology	API SP	JASO MA2
Synthetic		Quality level	Spec. Moto 4T

VISCOSITY	AVAILABLE PACKAGING
5W-40	1L | 4L
5W-50	1L
10W-40	1L | 4L | 208L
10W-50	1L | 4L
10W-60	1L
15W-50	1L | 60L

EXTREME

MOTO 2T

EXTREME 2T

RACING PERFORMANCE, FOR 2-STROKE ENGINES

EXTREME 2T is a **fully synthetic ester-based** lubricant engineered for high-performance 2-stroke engines subjected to the most demanding operating conditions.

Its advanced solvent-free technology delivers exceptional wear protection, cleaner and more efficient combustion, and instant lubrication with outstanding film strength. Formulated with 100% active components, it must be mixed with fuel prior to use and should not be used in oil-injection lubrication systems.

Check the mixture according to each manufacturer's recommendations and/or engine type.

100%
Ester

AVAILABLE PACKAGING
1L

NO LIMITS BEYOND THE UNPREDICTABLE

EXPLORER

ENDURANCE & PROTECTION
TECHNOLOGY

Explorer is the lubricant for riders who refuse to accept limits. Developed for the Adventure and Touring segments, it delivers complete confidence from paved roads to off-road trails. **It is the ideal choice for riders seeking a motorcycle that is always responsive, with smooth gear shifts and the peace of mind that comes from knowing their engine is protected, regardless of the distance or weather conditions.**

THERMAL STABILITY AND OXIDATION RESISTANCE

SHEAR STRENGTH AND PROTECTION OF THE ENGINE-CLUTCH-GEARBOX ASSEMBLY

THE WIDEST RANGE OF LUBRICANTS FOR ALL TYPES OF MOTORCYCLES, TERRAIN AND STYLE

EXPLORER

MOTO 4T

EXPLORER 4T

Very versatile synthetic oil for 4-stroke engines, ideal for both asphalt and off-road terrain. Its low volatility reduces consumption and allows maintenance intervals to be extended in complete safety. Its ultra-resistant film ensures precise coupling and protects components under any extreme condition.

100%	API SP	JASO MA2
Synthetic	Quality level	Spec. Moto 4T

VISCOSITY	AVAILABLE PACKAGING
5W-40	1L | 20L | 60L | 208L
5W-50	1L
10W-30	1L | 4L | 20L | 208L
10W-40	800ML | 1L | 4L | 20L | 60L | 208L
10W-50	1L | 208L

EXPLORER

MOTO 4T

SNOW 4T

Synthetic lubricant specifically designed for **snowmobiles, designed to operate in extreme cold and high humidity conditions.** Its low freezing point provides immediate fluidity, ensuring reliable starts and optimal mechanical performance from the get-go. Its detergent and antioxidant properties help keep the engine clean by preventing deposit build-up, while protecting critical components against deterioration, even under the harshest weather conditions.

100%	API SN	JASO MA
Synthetic	Quality level	Spec. Moto 4T

VISCOSITY	AVAILABLE PACKAGING
0W-40	1L | 4L | 208L

EXPLORER

MOTO 2T

EXPLORER 2T

Synthetic oil for high-performance two-stroke mechanics, compatible with premixing and separate lubrication. Its technology guarantees an **ultra-clean combustion** that minimizes smoke emissions and prevents carbon build-up. Its excellent miscibility creates a uniform barrier that withstands thermal stress and extreme engine speeds.

100%	API TC
Synthetic + Ester	Quality level

AVAILABLE PACKAGING
1L

V-TWIN CUSTOM

PAO Technology-based lubricant specifically formulated for high-performance custom motorcycles, engineered to withstand the intense vibrations and extreme heat generated by large-displacement V-twin engines.

Its low volatility helps maintain stable oil levels during long-distance rides, while its outstanding shear resistance preserves viscosity under high torque loads, ensuring smooth and precise power delivery.

100%	API SP	PAO Technology	JASO MA2
Synthetic	Quality level		Spec. Moto 4T

VISCOSITY	AVAILABLE PACKAGING
20W-50	1L

ANTI-WEAR THERAPY

URBAN

STREET & ROAD TECHNOLOGY

Designed to meet the demands of urban mobility, **URBAN** provides reliable protection and consistent performance in **the stop-and-go conditions, traffic congestion and changing temperatures of everyday riding.**

THERMAL STABILITY AND OXIDATION RESISTANCE

GUARANTEE OF SMOOTH START AND IMMEDIATE RESPONSE OF THE ENGINE IN ANY CONDITIONS

ADVANCED PROTECTION WITH AND WITHOUT WET CLUTCH

URBAN
MOTO 4T

URBAN 4T

Semi-synthetic lubricant for 4-stroke motorcycles, whose formulation withstands the thermal fatigue of frequent stop-and-go conditions, reducing evaporation to minimize daily consumption. Provides immediate cold lubrication and ensures maximum traction in wet clutch systems.

SEMI	API SP	JASO MA2
Synthetic	Quality level	Spec. Moto 4T

VISCOSITY	AVAILABLE PACKAGING
10W-30	1L | 60L | 208L
10W-40	1L | 4L | 20L | 60L | 208L
15W-50	1L | 60L | 208L
20W-50	1L

URBAN SCOOTER MB
MOTO 4T

URBAN SCOOTER MB 4T

This 100% synthetic lubricant is specifically developed for four-stroke scooters and maxi-scooters equipped with dry clutch or without clutch and automatic continuous transmission (CVT). Its low-friction specification improves the energy efficiency and significantly reduces fuel consumption. Its excellent fluidity speeds up cold starts and ensures progressive power delivery, keeping engine components free of deposits under high temperatures.

100%	API SP	JASO MB
Synthetic	Quality level	Spec. Moto 4T

VISCOSITY	AVAILABLE PACKAGING
5W-30	1L
5W-40	1L | 208L
10W-30	1L | 20L | 60L | 208L
10W-40	1L

URBAN
MOTO 2T

URBAN 2T

Semi-synthetic lubricant for small and medium displacement 2-stroke engines, compatible with premix and injection systems. Its balanced formula stands out for an exceptional control of deposits, which avoids the spark plug fouling and keeps the exhaust ports free of carbon deposits. **It generates a very stable lubricating film that minimizes internal friction and safeguards critical parts under the demands of daily use.**

SEMI	API TC	JASO FD
Synthetic	Quality level	Spec. Moto 2T

AVAILABLE PACKAGING
125ML | 1L | 208L

CONFIDENCE IN THE ESSENTIALS

RIDER

DAILY ENDURANCE TECHNOLOGY

Designed for everyday use in 4-stroke engines, **RIDER offers reliable protection,** flawless start-up, and smooth, consistent operation on every daily commute.

RELIABLE PROTECTION AND CONSISTENT PERFORMANCE IN EVERYDAY USE

CONFIDENCE ON EVERY RIDE AND EVERY KILOMETER

THE PERFECT BALANCE BETWEEN A SMOOTH RIDE AND COMPONENT DURABILITY

RIDER

MOTO 4T

RIDER 4T

RIDER 4T offers a selection of versatile, reliable and affordable lubricants developed to provide **good engine protection throughout the entire drain interval.**

Its formulations are designed to meet the needs of **motorcycles and two-and three-wheeled vehicles,** guaranteeing effective lubrication and protected operation in daily use with Repsol technology.

API SL	JASO MA2
Quality level	Spec. Moto 4T

VISCOSITY	AVAILABLE PACKAGING
10W-40	1L | 4L | 208L
15W-50	1L | 4L | 20L | 60L | 208L
20W-50	1L | 4L | 208L

RIDER TOWN 4T

Lubricant for 4-stroke motorcycles for daily use and motorcycles of previous generations. Its detergent and dispersant additive package prevents the accumulation of lacquer and varnish, keeping the piston impeccable clean. In addition, **its high viscosity generates a highly robust film that effectively withstands the high temperatures typical of heavy daily traffic.**

API SJ	JASO MA2
Quality level	Spec. Moto 4T

VISCOSITY	AVAILABLE PACKAGING
20W-50	1L | 60L | 208L

RIDER

MOTO 4T

RIDER HIGH MILEAGE 4T

High viscosity lubricant designed for 4-stroke engines with high mileage, **ideal for heavy-duty work routines and motorcycle taxis.** Its reinforced film manages to compensate mileage accumulation, maintaining an unalterable consistency in the face of excess environmental and mechanical heat. **It guarantees maximum reliability during long shifts of continuous operation.**

API SL	JASO MA2
Quality level	Spec. Moto 4T

VISCOSITY	AVAILABLE PACKAGING
25W-50	1L
25W-60	1L

RIDER SCOOTER

MOTO 4T

RIDER SCOOTER MB 4T

Lubricant designed for 4-stroke scooters and maxi-scooters with dry clutch. Its low-friction technology complies with the JASO MB standard to optimize vehicle performance. Its shear tolerance maintains viscosity constant in the face of mechanical stress, mitigating noise and vibration to offer a comfortable and safe ride.

Semi	API SL	JASO MB
Synthetic	Quality level	Spec. Moto 4T

VISCOSITY	AVAILABLE PACKAGING
10W-40	1L

RIDER

MOTO 2T

RIDER 2T

A general-purpose lubricant for small- and medium-displacement 2-stroke engines, developed to meet the demands of everyday urban riding. Its formulation helps control deposit build-up, while its excellent lubricating properties withstand the excess heat generated by dense traffic and protect engine components under additional loads. Also suitable for chainsaws, lawnmowers and small machinery.

API TC	JASO FB
Quality level	Spec. Moto 2T

AVAILABLE PACKAGING
1L | 208L

FORK OIL

repsol
lubricants
10W
FULLY SYNTHETIC
ISO VG 32
FORK OIL
EXTREME
1L
repsol
lubricants
5W
FULLY SYNTHETIC
ISO VG 15
FORK OIL
EXTREME
1L

EXTREME

FORKS

FORK OIL

Synthetic oils for motorcycle and vehicle forks and shock absorbers. Their outstanding shear stability makes them suitable for both sporty and urban riding. They offer excellent antioxidant, anti-corrosion and anti-wear properties, while eliminating air bubbles formed within suspension systems to ensure smooth, consistent performance across a wide temperature range. **Their high viscosity index helps maintain reliable damping characteristics under varying operating conditions.**

Please note: The new range of fork oils uses a revised viscosity scale. Although grade designations (5W, 10W, 15W, etc.) are maintained, these are not directly equivalent to those in the previous range. Please refer to the viscosity values provided in this technical data sheet to select the most suitable product and ensure a correct transition from previous formulations.

100% Synthetic	**Racing PAO Technology**

VISCOSITY	ISO	AVAILABLE PACKAGING
2.5W IV 380	10	1L
5W	15	1L
7.5W	22	1L
10W	32	1L
15W	46	1L
20W	68	1L

MOTO CARE

repsol
lubricants
CHAIN
400ml/257g 13,5 US fl. oz.
MOTO CARE
repsol
lubricants
SILICONE SHINE
400ml/244g 13,5 US fl. oz.
MOTO CARE
repsol
lubricants
CLEANER & POLISH
400ml/346g 13,5 US fl. oz
MOTO CARE

EXTREME

CHAIN

MOTO CARE CHAIN EXTREME

EXTREME Chain Dry is a teflon-based spray lubricant, ideal for chains with and without motorcycle O-rings. Its high adhesion is firmly fixed to the chain avoiding splashes on the wheel, while its resistance to water and high temperatures guarantees maximum protection in demanding riding.

- **High adherence**
- **Water resistance**
- **High temperature resistance**
- **Wear protection**

400 ML

MOTO CARE

MOTO CARE CHAIN

Synthetic spray lubricant, specially developed for motorcycle chains with or without O-rings. Its excellent grip keeps the lubricant where it should be, **reducing losses and preventing the wheel and rear tire from getting dirty.**

Its high resistance to water and high temperatures provides **long-lasting protection against rain, humidity and demanding riding conditions,** reducing wear and corrosion and helping to extend the useful life of the chain.

400 ML

MOTO CARE BRAKE & CONTACT

Spray specially developed for cleaning **brake pads and discs**. Its high cleaning capacity quickly removes **grease, dirt, brake fluid and other contaminants,** without the need for rubbing.

Its **fast-evaporating, residue-free** formula leaves surfaces clean and ready for optimal operation. Suitable for cleaning electrical contacts and circuits. **Direct application. Spray onto the part from 10-15 cm, wait a few seconds and repeat if necessary.**

300 ML

MOTO CARE

MOTO CARE DEGREASER

High-penetration degreaser, developed to quickly remove oil, grease and dirt from the metal surfaces of the engine and the drive chain.

Its **immediate action** facilitates the removal of even the most adherent dirt and debris accumulated while riding, such as road splatter, leaving components clean and ready for maintenance.

300 ML

MOTO CARE CLEANER & POLISH

A comprehensive cleaning and care solution for all motorcycle surfaces, including the rider's helmet, boots and jacket. Effectively removes dirt, grease and insect debris without the need for water, leaving the bike clean and ready to hit the road again.

Its specific formulation polishes and protects chrome, painted surfaces and plastics, **respecting its finishes. Its spray format facilitates convenient and precise application.**

400 ML

MOTO CARE SILICONE SHINE

Silicone-based spray developed to recover the original appearance and enhance the shine of rubber, soft plastic and synthetic leather surfaces. Direct application creates a uniform protective film that helps preserve materials from sun and rain exposure.

Easy to apply and fast-acting, it restores the original shine and improves the finish of the surfaces, keeping them protected and with a renewed appearance.

400 ML

OTHER PRODUCTS

GEAR

TRANSMISSION

GEAR MTF MA2 10W-40

Specific lubricating oil for motorcycle gearboxes, **designed to offer maximum wear protection and excellent shear resistance, even under extreme conditions.**

Its formulation guarantees the correct operation of wet clutches, preventing slippage and providing a smooth, precise and controlled gear shifting. Additionally, **it helps reduce mechanical noise, improves cold starts, and helps extend the lifespan of gearbox components.**

100%	API SP	JASO MA2
Synthetic	Quality level	Spec. Moto

AVAILABLE PACKAGING

1L

GEAR SYNTH MTF G4/G5 75W-90

100% synthetic 75W-90 lubricant designed for differentials, gearboxes and transmissions. Its excellent ability to withstand high loads and its high fluidity at low temperatures guarantee effective lubrication and high wear protection.

A versatile lubricant, designed to offer **durability, efficiency and protection** in the most demanding working conditions.

100%	API GL-4/GL-5 · MT-1
Synthetic	Quality level

AVAILABLE PACKAGING

1L | 20L | 208L

GEAR

TRANSMISSION

GEAR MTF G4/G5 75W

Synthetic oil for transmissions, **especially recommended in demanding conditions of use.** Its formulation improves gear shift speed and precision while providing smooth, progressive operation.

It offers **excellent oxidation stability and good low-temperature performance,** facilitating gear shifts and protecting all gearbox components against wear.

100%	API GL-4/GL-5
Synthetic	Quality level

AVAILABLE PACKAGING

1L | 208L

GEAR MTF G4 80W-90

Specific lubricating oil for gearboxes, formulated to offer **high load capacity and maximum protection against wear,** even in conditions of extreme use.

Its shear resistance and anti-wear additives help extend the service life of gears and transmission components, maintaining smooth, reliable operation.

API GL-4
Quality level

AVAILABLE PACKAGING

150ML | 1L | 4L | 208L

BRAKE FLUID

EXTREME BRAKE FLUID

100% synthetic brake fluid developed with Racing Technology for high-performance vehicles. Its exceptional thermal resistance and high boiling point help maintain a precise and constant braking response even under the most demanding sport driving conditions, providing maximum confidence and control when you need it most.

COMING SOON

AVAILABLE PACKAGING
500 ML

BRAKE FLUID

Synthetic brake fluid for hydraulic systems requiring DOT 5.1 or DOT 4 performance level. Its high boiling point and thermal stability ensure an effective braking response in demanding conditions. Formulated to minimize foaming and maintain compatibility with gaskets and seals of the hydraulic circuit.

FMVSS 116 DOT 4 • UNE 26-109-88 (INTA*) • ISO 4925 • JIS K2234:2018 • SAE J 1703/J 1704

DOT 4 quality level

FMVSS 116 DOT 4, 116 DOT 5.1 • UNE 26-409 (INTA*) • ISO 4925 • SAE J 1703/J 1704

DOT 5.1 quality level

**Certified by INTA (National Institute of Aerospace Technology), the official body responsible for testing and analysis to certify compliance with technical safety standards for brake fluids.*

PRODUCT	AVAILABLE PACKAGING
DOT 4	500 ML
DOT 5.1	500 ML

COOLANT

COOLANT MAX OAT 50% P

Organic coolant designed to **effectively dissipate heat and protect the cooling circuit**, even in systems with aluminum components. Helps prevent overheating and freezing by keeping the engine in optimal operating condition.

Its formulation protects against **corrosion, cavitation and deposit formation**, in addition to being compatible with gaskets and seals to prevent fluid leaks.

Organic | **ASTM D3306 · BS 6580 · UNE 26-361-88**

AVAILABLE PACKAGING
1L | 5L | 208L

Specialized products for each part of the motorcycle

FAIRINGS

Cleaning
Cleaner & Polish
Silicone Shine

BRAKES

Brake & Contact
Brake Fluid

ENGINE COOLING

Coolant Max OAT 50% P

ENGINE

Cleaning
Degreaser

FORK

Fork Oil

CHAIN

Lubrication
Chain
Extreme Chain

TRANSMISSION

Gear MTF

MOTORCYCLE LUBRICANTS

PRODUCT	VISCOSITY	API	JASO EF	1L	4L	5L	20L	60L	208L	125ML	800ML
EXTREME 4T	5W-40	SP	MA2	RPG300BCHC*	RPG300BCGB*						
EXTREME 4T	5W-50	SP	MA2	RPG300BDHC*							
EXTREME 4T	10W-40	SP	MA2	RPG300CBHC*	RPG300CBGB*				RPG300CBBA*		
EXTREME 4T	10W-50	SP	MA2	RPG300CCHC*	RPG300CCGB*						
EXTREME 4T	10W-60	SP	MA2	RPG300CDHC*							
EXTREME 4T	15W-50	SP	MA2	RPG300DBHC*				RPG300DBCA*			
EXTREME 2T	-			RPG317ZZHC*							
EXPLORER 4T	5W-40	SP	MA2	RPG320BCHC*			RPG320BCDA*	RPG320BCCA*	RPG320BCBA*		
EXPLORER 4T	5W-50	SP	MA2	RPG320BDHC*							
EXPLORER 4T	10W-30	SP	MA2	RPG320CAHC*	RPG320CAGB*		RPG320CADA*		RPG320CABA*		
EXPLORER 4T	10W-40	SP	MA2	RPG320CBHC*	RPG320CBGB*		RPG320CBDA*	RPG320CBCA*	RPG320CBBA*		RPG320CBIC*
EXPLORER 4T	10W-50	SP	MA2	RPG320CCHC*					RPG320CCBA*		
EXPLORER V-Twin Custom 4T	20W-50	SP	MA2	RPG322EBHC*							
EXPLORER Snow 4T	0W-40	SN	MA	RPG321AFHC*	RPG321AFGB*				RPG321AFBA		
EXPLORER 2T	-	TC		RPG347ZZHC*							
URBAN 4T	10W-30	SP	MA2	RPG350CAHC*					RPG350CABA*		
URBAN 4T	10W-40	SP	MA2	RPG350CBHC*	RPG350CBGB*		RPG350CBDA*	RPG350CBCA*	RPG350CBBA*		
URBAN 4T	15W-50	SP	MA2	RPG350DBHC*				RPG350DBCA*	RPG350DBBA*		
URBAN 4T	20W-50	SP	MA2	RPG350EBHC*							
URBAN Scooter MB 4T	5W-30	SP	MB	RPG351BBHC*							
URBAN Scooter MB 4T	5W-40	SP	MB	RPG351BCHC*					RPG351BCBA*		
URBAN Scooter MB 4T	10W-30	SP	MB	RPG351CADA*			RPG351CADA*	RPG351CACA*	RPG351CABA*		
URBAN Scooter MB 4T	10W-40	SP	MB	RPG351CBHC*							
URBAN 2T	-	TC	FD	RPG367ZZHC*					RPG367ZZBA	RPG367ZZNC*	
RIDER 4T	10W-40	SL	MA2	RPG300BCAB*	RPG300BCAB*				RPG300BCAB*		
RIDER 4T	15W-50	SL	MA2	RPG370DBHC*	RPG370DBGB*		RPG370DBDA*	RPG370DBCA*	RPG370DBBA*		
RIDER 4T	20W-50	SL	MA2	RPG370EBHC*	RPG370EBGB*				RPG370EBBA*		
RIDER High Mileage 4T	25W-50	SL	MA2	RPG373FAHC*							
RIDER High Mileage 4T	25W-60	SL	MA2	RPG373FBHC*							
RIDER Scooter MB 4T	10W-40	SL	MB	RPG371CBHC*							
RIDER Town 4T	20W-50	SJ	MA2	RPG372EBHA*				RPG372EBCA*	RPG372EBBA*		
RIDER 2T	-	TC	FB	RPG392ZZHC*			RPG392ZZDA*		RPG392ZZBA*	RPG392ZZNC*	

* Item ID

OTHER FLUIDS MAINTENANCE

PRODUCT	VISCOSITY	API	JASO EF	ISO	1L	4L	5L	20L	208L	150ML	300ML	400ML	500ML
FORK OIL EXTREME	2.5W IV 380			ISO 10	✓ RPG395MLHC*								
FORK OIL EXTREME	5W			ISO 15	✓ RPG395MAHC*								
FORK OIL EXTREME	7.5W			ISO 22	✓ RPG395MMHC*								
FORK OIL EXTREME	10W			ISO 32	✓ RPG395MBHC*								
FORK OIL EXTREME	15W			ISO 46	✓ RPG395MCHC*								
FORK OIL EXTREME	20W			ISO 68	✓ RPG395MNHC*								
MOTO CARE Chain Extreme												✓ RPG970ZZPB*	
MOTO CARE Chain												✓ RPG971ZZPB*	
MOTO CARE Brake & Contact											✓ RPG972ZZPC*		
MOTO CARE Degreaser											✓ RPG974ZZPC*		
MOTO CARE Cleaner & Polish												✓ RPG973ZZPB*	
MOTO CARE Silicone Shine												✓ RPG975ZZPB*	
GEAR MTF MA2	10W-40	SP	MA2		✓ RPG400CBHC*								
GEAR MTF G4/G5	75W	GL-4 • GL-5			✓ RPG400HAHC*				✓ RPG414HABA*				
GEAR MTF G4/G5	75W-90	GL-4 • GL-5 • MT-1			✓ RPG414HDHA*			✓ RPG414HDDA*	✓ RPG414HDBA*				
GEAR MTF G4	80W-90	GL-4			✓ RPG400JBHC*	✓ RPG412JBGA*			✓ RPG412JBBA*	✓ RPG400JBNB*			
BRAKE FLUID EXTREME													✓ RPG902ZZID*
BRAKE FLUID Dot 4													✓ RPG900ZZID*
BRAKE FLUID Dot 5.1													✓ RPG901ZZID*
COOLANT MAX OAT 50% P					✓ RPG910QHLC*		✓ RPG910QHKB*		✓ RPG910QHBA*				

* Item ID

PURE PERFORMANCE, PURE PASSION

repsol
lubricants

Visit our website

Discover our complete range
for your bike.

Dealer locator

Locate your nearest dealer
and sales offices.

Contact form

Any questions?
Contact us.

Product finder

Use the search tool to find the perfect
product for your vehicle.

Pictures

Designed by experts.
Powered by AI.

Information valid as of the publication date.
Specifications and approvals may be subject to change.
Always consult the latest technical documentation.

Edition: 10/2026

repsol
lubricants